

CLICK HERE TO JUMP TO USE DIRECTIONS

GORDON'S®

GRUB NO-MORE™ CONCENTRATE

Kills Grubs All Season

**Controls White Grubs Including
Japanese Beetle Larvae**

One Quart Covers Up To 5,000 Sq. Ft.

**One Quart Makes Up To
16 Gallons Of Spray**

One Gallon Covers Up To 1/2 Acre

**One Gallon Makes Up To
64 Gallons Of Spray**

ACTIVE INGREDIENT:

Imidacloprid	1.47%
OTHER INGREDIENTS	98.53%
TOTAL	100.00%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See next column for additional
Precautionary Statements and First Aid.

FOR OUTDOOR RESIDENTIAL USE ONLY. Not for sale, sale into, distribution
and or use in Nassau, Suffolk, Kings and Queens Counties of New York State.

Shake Well Before Using



Chinch Bug



Sod Webworm



Grubs



Cutworms



Billbugs



READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through the skin or if swallowed. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the restroom. Remove and wash contaminated clothing before reuse.

FIRST AID

IF ON SKIN:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
Hotline number	<ul style="list-style-type: none"> • Have the product container or label with you when calling a poison control center or doctor, or going to a doctor. You may also contact 1-877-800- 5556 for emergency medical information. • Active ingredient: 1.47% imidacloprid, CAS Registry No. 138261-41-3

ENVIRONMENTAL HAZARDS

- This pesticide is toxic to aquatic invertebrates. Do not apply directly to lakes, streams, rivers or ponds.
- Do not dump rinse water into sewers or other bodies of water.
- Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS:

Combustible: Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Children and pets may re-enter the treated area after it has dried.

HOME LAWNS AND INSECT PESTS

Where to use:

Lawns and yards including these grasses may be treated with Gordon's® Grub-No-More™ Concentrate.

Cool-Season or Northern lawns
Kentucky bluegrass, perennial ryegrass, tall fescue, fescues (red or fine leaf)
Warm-Season or Southern lawns
Bermudagrass, Common and hybrid Centipedegrass St. Augustinegrass Zoysiagrass Buffalograss Bahagrass


Use Gordon's Grub-No-More Concentrate to control larvae and nymphs of these insect pests: (Ranked in importance)

Soil insects:
White grub larvae including: <ul style="list-style-type: none"> • Chafers, European, Northern masked and Southern masked • Green June beetle • Japanese beetle • Oriental beetle • Asiatic garden beetle
Surface insects:
Sod webworm Chinch bug (suppression) Cutworms (suppression) Billbug

When to apply:

- For the white grub complex in Northern lawns, May is best time to apply this product.
- For the white grub complex in Southern lawns, May and early June is the best period to apply this product.
- Contact your State Agricultural Extension Service agents for additional and localized recommendations.
- Do not exceed one application of this product per season for lawns.

PEST OCCURRENCE AND TREATMENT TIMING CHART




The timing of the application for the product should match the vulnerable stages of the pests. These calendar schedules will vary between years and regions and provide an overview to guide your decision-making. These calendar schedules should not be considered as a forecast or localized predictor for managing insect pests. Consult (Contact) your State Agricultural Extension Service agent, follow their specific spray schedules and recommendations.

How to apply:

- Use a tank sprayer or hose-end sprayers such as the Ortho® Dial-N-Spray®, the Hudson® Hose-End Liquid Concentrate Sprayer or the Gilmour® Dial-A-Mix® Sprayer.

Irrigation:

- For grub (larvae) control: Rainfall or irrigation (0.50 inch) should occur within 24 hours after application. Thoroughly wet the lawn a few hours after applying.
- For armyworm and cutworms: Do not irrigate treated areas within 24 hours after application of this product.



Mowing:

Avoid mowing treated lawn until after adequate rainfall or irrigation has occurred.

SPRAY EQUIPMENT

Hand-operated sprayers including backpack, compression, knapsack or tank type sprayers and low pressure boom sprayers:

For lawn, mix 2 to 3 fl.oz. of Gordon's Grub-No-More Concentrate per one (1.0) gallon of water for treating approximately 333 sq. ft. of lawn. Use the higher rate for heavier infestations of insect pests.

Gallons of water	Fluid ounces (fl. oz.) of Gordon's® Grub-No-More™ Concentrate	Tablespoons (tbs.) of product	Area to be treated, sq. ft.
1 gallon	2.0 to 3.0 fl. oz.	4 to 6 tbs	333 sq. ft.
2 gallons	4.0 to 6.0 fl. oz.	8 to 12 tbs.	666 sq. ft.
3 gallons	6.0 to 9.0 fl. oz.	12 to 18 tbs.	1,000 sq. ft.

Equal measures: 1.0 fl.oz. = 2 tablespoons

For lawn using low pressure boom sprayers, mix 6.0 fl. oz. of Gordon's Grub-No-More Concentrate per 1,000 sq. ft. of lawn. Use a spray volume of 2.5 gallons per 1,000 sq. ft. of lawn. Additional spray preparation instructions are presented as follows [Note: Amounts can be varied as indicated above as long as resulting spray amount is between 6 to 9 fl. oz. product per 1,000 sq. ft.].

Gallons of water	Fluid ounces (fl. oz.) of Gordon's® Grub-No-More™ Concentrate	Area to be treated, sq. ft.
2.5 gallons	6.0 fl. oz.	1,000 sq. ft.
5 gallons	12 fl. oz.	2,000 sq. ft.
10 gallons	24 fl. oz.	4,000 sq. ft.
12.5 gallons	30 fl. oz.	5,000 sq. ft.
25 gallons	60 fl. oz.	10,000 sq. ft. or 0.23 acre
53 gallons	128 fl. oz. (1 gallon)	21,333 sq. ft. or 0.5 acre

Equal measures: 1 gallon = 128 fl. oz. = 4 quarts = 16 cups
1 quart = 32 fl. oz. = 4 cups

For Ortho® Dial-N-Spray® hose-end sprayer, the Hudson® Hose-End Liquid Concentrate Sprayer or the Gilmour® Dial-A-Mix® Sprayer.

Four Steps To Apply

- Measure (Determine) the total lawn area to be sprayed. For rectangular areas, multiply the length by the width to obtain total square feet.
- RATE PER GALLON: Set the dial to 2 oz. Keep the dial set to this setting while spraying.
- FILLING: Add an adequate amount of product to the spray bottle to treat the total lawn area, or add 6 fl. oz. of product for every 1,000 sq. ft. of lawn area. For example, pour 18 fl. oz. of product into sprayer jar to treat a lawn area of 3,000 sq. ft. Do not add water to jar.

- **SPRAY:** Spray evenly over the measured area. Any unused product can be poured back into its original container.

STORAGE AND DISPOSAL

Pesticide Storage: Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.

Combustible: Do not use or store near heat or open flame.

Disposal:

- **If Empty:** Do not reuse container. Place empty container in trash or offer for recycling if available.
- **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

Ortho® and Dial-N-Spray® are registered trademarks of The Scotts Company.

Hudson® is a registered trademark of H.D. Hudson Manufacturing Company.

Gilmour® and Dial-A-Mix® are registered trademarks of Gilmour Manufacturing Company.

Grub-No-More™ is a trademark of PBI/Gordon Corporation.

Manufactured By



An Employee-Owned Company

1217 West 12th Street
Kansas City, Missouri 64101

www.pbigordon.com

822/2-2008 AP021408
EPA REG. NO. 2217-908