

Material Safety Data Sheet

Product Name: Gordon's TRIMEC Plus

MSDS No.: 699-5

Version No.: 003

EPA Registration No.: 2217-808

1. Basic Information:

Manufacturer: PBI/Gordon Corporation
Address: 1217 West 12th Street
City, State Zip: Kansas City, MO 64101-1407
Information Contact: Environmental, Health, & Safety Dept.
Information Telephone Number: (816)421-4070
Emergency Contact: Chemtrec
Emergency Telephone Number: (800)424-9300



1	Health
1	Flammability
0	Reactivity
B	Pers. Protection

Last Update: 3/28/2002

Chemical State: Liquid Gas Solid
Chemical Type: Pure Mixture

2. Ingredients:

Trade Secret (ND = Not Disclosed)

CAS No.	Chemical Name	% Range	EHS		IARC		SARA 313		OSHA PEL	ACGIH TLV	Other Limits
			NTP		SUB Z						
2008391	Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid (2,4-D)	5.83	N	N	Y	N	N	NI	NI	NI	
2300665	Dimethylamine Salt of 3,6-dichloro-o-anisic acid (Dicamba)	1.46	N	N	N	N	Y	NI	NI	NI	
66423094	Dimethylamine Salt of R(+)-2-(2-Methyl-4-chlorophenoxy) propionic acid (MCP P)	2.93	N	N	Y	N	N	NI	NI	NI	
2163806	Monosodium Methanearsonic acid (MSMA)	18.00	N	N	N	Y	N	.5mg/m3	NI	NI	

3. Hazardous Identification:

Hazard Category:

Acute Chronic Fire Pressure Reactive

Hazardous Identification Information:

The PEL is in milligrams of arsenic per cubic meter.

The International Agency for Research on Cancer (IARC) lists chlorophenoxy herbicides in its Group 2B (limited evidence for carcinogenicity in humans.) The US EPA has given the chlorophenoxy herbicides 2,4-D, 2,4-DP, MCP P, and MCP A a Class D classification (not classifiable as to human carcinogenicity.) More current 2,4-D lifetime feeding studies in rats and mice did not show carcinogenic effects and a recent World Health Organization (WHO) review of 2,4-D toxicology has concluded that 2,4-D is not a carcinogen.

4. First Aid Measures:

Route(s) of Entry:

Skin contact, inhalation, ingestion.

Health Hazards (Acute and Chronic):

EYES: Causes substantial but temporary eye injury.

SKIN: Moderately irritating to the skin; may be absorbed through the skin.

INHALATION: Moderately irritating to the mucous membranes. Inhalation of sprays in rats and mice did not show carcinogenic effects and a recent World Health Organization (WHO) review of 2,4-D toxicology has concluded that 2,4-D is not a carcinogen.

INGESTION: May cause vomiting, with pain in the chest and abdomen, and diarrhea.

First Aid Measures (Continued)

Signs and Symptoms:

Inhalation may cause burning in the chest, with coughing. Prolonged inhalation sometimes causes dizziness. Ingestion usually leads to vomiting. Pain in the chest and abdomen, and diarrhea may follow. Headache, mental confusion, and bizarre behavior are early manifestations of severe poisoning, which may progress to unconsciousness.

Medical Conditions Generally Aggravated by Exposure:

Individuals with chronic skin disease or known sensitivity to chlorophenoxy compounds should either avoid using them or take strict precautions to avoid contact (respirator, gloves, etc.).

Emergency First Aid Procedure:

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Other Health Warnings:

NI

5. Fire Fighting Measures:

Flash Point: 111°F

F.P. Method:

Material Safety Data Sheet

Product Name: Gordon's TRIMEC Plus

MSDS No.: 699-5

Version No.: 003

EPA Registration No.: 2217-808

Fire Fighting Measures (Continued)

Lower Explosive Limit: NI

Upper Explosive Limit: NI

Fire Extinguishing Media:

Foam, CO₂, dry chemical, water. The low flash point of this product is due to a minor component in the mixture. Based on independent laboratory testing of similar products, this product would not sustain combustion as specified in DOT Regulation 49 CFR 173 Appendix H, and, therefore, would not be classified as a combustible liquid.

Special Fire Fighting Procedures:

Wear positive-pressure breathing apparatus and full protective clothing. Fight fire from the maximum distance. Stay up-wind and out of low areas.

Unusual Fire and Explosion:

This product does not ignite readily, but may burn at a very high temperature. The fire may produce irritating or poisonous gases. Contain fire control runoff water to avoid causing pollution. If surface water is contaminated, contact local authorities.

6. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

Do not touch spilled material. See Section 8 for Personal Protective Equipment. Contain and absorb spilled material on Dri-Rite, sand or other inert absorbent. Collect into drums; cover and label for disposal. Flush area with water if possible.

7. Handling and Storage:

Precautions to be Taken:

STORAGE: Store in original container in a locked storage area. Keep from freezing.

Other Precautions:

Engineering Control Statements:

Containers over 1 gallon and less than 5 gallons: Persons engaged in open pouring of this product must also wear coveralls or a chemical resistant apron.

Containers of 5 gallons or more: Do not open-pour product from this container. A mechanical system (such as a probe and pump or spigot) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal.

8. Exposure Controls/Personal Protection:

Ventilation Requirements:

Good local ventilation is recommended; mechanical ventilation may be used if exposure limits may be exceeded.

Personal Protective Equipment:

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if absorbed through skin. Avoid breathing spray mist. Avoid contact with skin. When using this product wear long-sleeved shirt, long pants, socks, shoes, rubber gloves and eye protection. It is recommended that safety glasses include front, brow and temple protection.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

PROTECTIVE CLOTHING: Wear long sleeve shirt, long pants, shoes with socks, and chemical-resistant gloves.

EYE PROTECTION: Safety glasses with side shields or safety goggles.

Exposure Controls/Personal Protection (Continued)

RESPIRATORY PROTECTION: If exposure limits may be exceeded, wear a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C), or a NIOSH approved respirator with any N, R, P or HE filter.

9. Physical and Chemical Properties:

Boiling Point: >212°F

Melting Point: NI:

Evaporation Rate (Butyl Acetate = 1): <1

Vapor Pressure (mm Hg.): 17@20°C

Vapor Density (Air = 1): >1

Specific Gravity (H₂O = 1): 1.18500

Solubility in Water: Infinite

Appearance and Odor: Suspension; amine odor

Other Information:

pH: 7.0-8.5

Viscosity: 1700-2000 cp

Density: 9.868 pounds/gallon

Freezing point: <35°F

10. Stability and Reactivity:

Stability:

Stable.

Incompatibility (Materials to Avoid):

Avoid contact with acids and metals such as zinc, aluminum and tin.

Decomposition/By-Products:

May produce gases such as HCl, organo chlorides, nitrogen oxides, and carbon monoxide when burning. MSMA, in the presence of many metals can react with nascent hydrogen to form arsine gas.

Hazardous Polymerization:

Will not occur.

11. Toxicological Information:

EYES: Causes substantial but temporary eye injury.

SKIN: Acute Dermal LC₅₀ >2.0 mL/kg (2.4 g/kg) in rabbits

INHALATION: LC₅₀ = 3.3 mg/liter (4H)

INGESTION: Oral LD₅₀ = 6.7 g/kg (rats)

12. Ecological Information:

ENVIRONMENTAL HAZARDS:

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not apply when weather conditions favor drift from treated area.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and MCPP pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

13. Disposal Considerations:

Material Safety Data Sheet

Product Name: Gordon's TRIMEC Plus

MSDS No.: 699-5

Version No.: 003

EPA Registration No.: 2217-808

Disposal Considerations (Continued)

PESTICIDE DISPOSAL: Pesticide wastes are acutely toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

For Metal Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

14. Transport Information:

The following guidelines apply for domestic ground transport. If shipping by air or ocean, please contact our Transportation Department.

Freight Class: Herbicides, NOI - NMFC Class #50320

Proper Shipping Name:

For package sizes less than 206.61 gallons: product is non-regulated.

For package sizes 206.61 gallons or greater: Environmentally Hazardous Substances, Liquid, N.O.S., 9, UN3082, PGIII, RQ (2,4-D)

If shipped in bulk containers, and quantity equals or exceeds 206.61 gallons, this product is a Marine Pollutant.

When shipped as a Hazardous Material, label required is Class 9 (Miscellaneous). Placards required on bulk shipments only.

15. Regulatory Information:

OSHA STATUS: This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA STATUS: This product is exempt from TSCA Regulation under FIFRA Section 3(2)(B)(ii) when used as a pesticide.

CERCLA REPORTABLE QUANTITY: 12 pounds of the formulation which contains 1 pound of Arsenic

SARA TITLE III:

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES: None

SECTION 311/312 HAZARD CATEGORIES: Immediate Health Hazard, Delayed Health Hazard

SECTION 313 TOXIC CHEMICALS: Dimethylamine dicamba CAS# 2300-66-5, Arsenic Compounds N020

RCRA STATUS: When discarded in its purchased form, this product is a listed RCRA hazardous waste and should be managed as a hazardous waste. (40 CFR 261.20-24)

16. Other Information:

REASON FOR ISSUE: To revise MSDS to the ANSI Z400.1-1998 format

NOTE: NI means not indicated.

The information and statements in this Material Safety Data Sheet are believed to accurately reflect the scientific evidence used in making the hazard determination, but is not to be construed as a warranty or representation for which we assume legal responsibility. Additional information may be necessary or desirable depending on particular, exceptional or variable conditions or circumstances of use or storage or because of locally applicable laws or government regulations. Therefore, you should use this information only as a supplement to other

Other Information (Continued)

information available to you and must make independent determinations of the suitability of the information for your particular circumstances or conditions and of the completeness of the information available from all sources to assure both the proper use of the material described herein and the safety and health of employees.