

CLICK HERE TO JUMP TO USE DIRECTIONS



VAPONA[®] INSECTICIDE DAIRY CATTLE SPRAY

Ready-To-Use for
Face Flies • Stable Flies
House Flies • Horn Flies

ACTIVE INGREDIENT:
Dichlorvos: 2,2-Dichlorovinyl dimethyl phosphate. 1.0%
INERT INGREDIENTS: 99.0%
TOTAL 100.0%

Contains petroleum distillates.

VAPONA[®] is a registered trademark of Boehringer Ingelheim Vetmedica, Inc. for dichlorvos insecticide.

KEEP OUT OF REACH OF CHILDREN WARNING

See below for Precautionary Statements and First Aid.



**READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: May be fatal if swallowed, inhaled, or absorbed through skin. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating or smoking.

Wear clean, natural rubber gloves, protective clothing, and goggles, face shield or equivalent. Wear a pesticide respirator jointly approved by the Mine Safety and Health Administration and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. Apply this product only as specified on this label.

FIRST AID

If in eyes:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. <p style="text-align: right;"><i>(continued on next column)</i></p>

FIRST AID (continued)

If inhaled:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.
--------------------	---

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

NOTE TO PHYSICIAN: This product is an organophosphate insecticide which is a cholinesterase inhibitor. Contains petroleum distillate – vomiting may cause aspiration pneumonia. If symptoms of cholinesterase inhibition are present, atropine is antidotal. Pralidoxime chloride (2-PAM) is also antidotal and may be used in conjunction with atropine.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish, birds, and wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS:

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children or pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: For Plastic Containers – Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities by burning. If burned stay out of smoke.

ANIMAL BUILDINGS, INCLUDING BARN, FEEDING AREAS, SHELTERS, STABLES, AND DAIRY BARN:

House Flies in Dog Kennels, Hog Pens, Stables, Compost Areas, Manure, Poultry Houses, and Barns – Application of this product should be as a coarse spray. Apply thoroughly to walls and flooring in kennels, barns, and stables. Use no more than 1 pint of product per 1,000 square feet. This is not a residual spray, therefore treat weekly or as needed for control of flies and fleas.

DIRECT ANIMAL TREATMENTS FOR DAIRY AND BEEF CATTLE

FACE FLY — STABLE FLY — HORN FLY — MOSQUITOES:

Use a hand mist sprayer and treat entire animal with 1 fluid ounce of product to wet hair in morning and evening. For Horn Flies, especially treat the back line, withers, and belly. For Stable Flies, make sure to spray leg areas and particularly ankles. Repeat daily as needed for control. Do not apply more than 2 fluid ounces per animal daily. Special care should be used in spraying the legs, belly and shoulders. Wash the teats and udder with warm water prior to milking. Do not apply to sick or convalescing animals.

For walk-thru mist sprayers, set to treat animals at rate not to exceed 2 fluid ounces daily.

IMPORTANT: Avoid wetting the hides of animals. Do not apply to calves under 6 months of age. Brahman cattle and Brahman cattle crosses should not be treated as they may show hypersensitivity to organophosphate insecticides. Do not apply dermally in conjunction with Trichlorfon and do not use on animals simultaneously or within a few days before or after treatment with, or exposure to, cholinesterase inhibiting drugs, pesticides or chemicals. Do not spray mist to contaminate milk or milking utensils. Cover feed and feed troughs before spraying.

Equivalent Measures: 1 fluid ounce = 2 tablespoons = 6 teaspoons.

OVERHEAD MIST DISPENSERS IN ANIMAL BUILDINGS AND DAIRY MILK ROOM

For control of flies, gnats, and mosquitoes in milkhouses and barns, use 1 pint of product for each 8,000 cubic feet. If a program of spraying animals directly is employed daily, do not fog within 8 hours of direct applications.

Remove the animals before fogging. Applicator must not remain in treated area. Before applying reduce air movement as much as possible by closing doors, windows or other openings. Do not contaminate water, feed or foodstuffs, milk or milking utensils.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

965/2-2005 AP030904
EPA REG. NO. 2217-332

Manufactured By
 **pbi/gordon**
corporation
An Employee-Owned Company
1217 West 12th Street
Kansas City, Missouri 64101
consumer.pbigordon.com

SPECIMEN
LABEL